BETTE TRADE

THE UNITED STATES PATENT AND TRADEMARK OFFICE

First Named

Inventor

Jacob J. Liu

Appln. No.

09/849,147

Filed

May 4, 2001

GROUP 1700 Group Art Unit: 1771

Title

REPOSITIONABLE ADHESIVE

LABEL FOR OPTICAL RECORDING

MEDIA

Docket No.

56647US002

Examiner: D. Zirker

AMENDMENT

Mail Stop RCE

Commissioner For Patents P.O. Box 1450 Alexandria, VA 22313-1450 SENT VIA EXPRESS MAIL

Express Mail No.:

Sir:

This Amendment is submitted with a Request for Continuing Examination (RCE), and is in response to the Office Action mailed on February 19, 2003. Please amend the aboveidentified application as follows:

IN THE CLAIMS

Please amend claims 1, 2, 4-6, 8, 10 and 11 (marked up version attached in Appendix), and add new claims 20-23, such that pending claims 1-8, 10, 11 and 19-23 are as follows:

- 1. (Twice Amended) An article comprising:
 - a backing having two major surfaces,
 - a layer of repositionable non-pressure sensitive adhesive comprising a thermoplastic block copolymer elastomer coated onto at least one major surface of the backing, wherein the adhesive has a storage modulus at room temperature greater than 3 x 10⁵ Pascals, and
 - an optical recording medium having a first major surface and a second major surface opposite the first major surface, the first major surface adhered to the layer of repositionable non-pressure sensitive adhesive.

First Named Inventor: Jacob J. Liu Application No.: 09/849,147

-2-

2. (Twice Amended) The article according to claim 1 wherein the block copolymer comprises at least one polystyrene block.

- 3. The article according to claim 2 wherein the block copolymer comprises 10% to 30% of polystyrene block.
- 4. (Twice Amended) The article according to claim 1 wherein the adhesion of the repositionable non-pressure sensitive adhesive is greater than 3 ounces per inch on the first major surface of the optical recording medium and is less then 3 ounces per inch on skin and paper.
- 5. (Twice Amended) The article according to claim 4 wherein the adhesion to the first major surface is in the range 5 40 ounces per inch.
- 6. (Twice Amended) The article according to claim 5 wherein material forming the first major surface of the optical recording medium is selected from the group consisting of polycarbonate, polyvinyl chloride, polyester, and glass.
- 7. The article according to claim 6 wherein the first major surface of the optical recording medium is a non-reading side of the optical recording medium.
- 8. (Twice Amended) The article according to claim 1 wherein the backing is selected from the group consisting of polyester film, polyolefin film, paper, coated paper, metallized film, foil, non-wovens and cardstock.
- 10. (Twice Amended) The article according to claim 1 wherein the adhesive has an adhesion range of 3 to 40 ounces per inch when adhered to the first major surface of the optical recording medium and an adhesion of less than 8 ounces per inch when adhered to standard white paper having a standard weight of 20/50 pounds.
- 11. (Twice Amended) The article according to claim 1 wherein the adhesion range on the first major surface is about 5 to about 10 ounces per inch and the adhesion range on paper and skin is less than about 1 ounce per inch.

First Named Inventor: Jacob J. Liu Application No.: 09/849,147

-3-

19. The article according to claim 1 and further comprising: an ink receptive coating on one major surface of the backing.

20. (New) An article comprising:

- a backing having two major surfaces,
- a layer of adhesive comprising a thermoplastic block copolymer elastomer coated onto at least one major surface of the backing; and
- an optical recording medium having a first major surface and a second major surface opposite the first major surface, the first major surface adhered to the layer of adhesive;

wherein the adhesive has greater adhesion to the first major surface of the optical recording medium than to skin and paper.

- 21. (New) The article according to claim 20, wherein the adhesive is a repositionable non-pressure sensitive adhesive having a storage modulus at room temperature greater than 3×10^5 Pascals.
- 22. (New) The article according to claim 20, wherein the adhesive has adhesion of greater than 3 ounces per inch on the first major surface of the optical recording medium and less than 3 ounces per inch on skin and paper.
- 23. (New) The article according to claim 22, wherein the adhesive has adhesion on the first major surface of about 5 to about 10 ounces per inch and has adhesion on paper and skin of less than about 1 ounce per inch.